

## **SAFETY DATA SHEET of:**

## **ENZY STOP Liquide**

Revision date: Wednesday, June 30, 2021

S100.762

## 1 SECTION 1: Identification of the substance/mixture and of the company/undertaking:

#### 1.1 Product identifier:

# **ENZY STOP Liquide**

UFI: /

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against:

Detergent - biological unblocker for pipes

Concentration in use: 100%

## 1.3 Details of the supplier of the safety data sheet:

#### MONDO SA/NV

Chaussée de Tirlemont, 75A

5030 Gembloux

Phone: 081830083 — E-mail: mondo@bechems.eu — Website: http://www.mondochemicals.com/

## 1.4 Emergency telephone number:

+32 70 245 245

## 2 SECTION 2: Hazards identification:

### 2.1 Classification of the substance or mixture:

Classification of the substance or mixture in accordance with regulation (EU) 1272/2008:

EUH208 H318 Eye Dam. 1

## 2.2 Label elements:

Pictograms:



Signal word:

Danger

#### Hazard statements:

**EUH208:** Contains (amylase; subtilisin). May produce an allergic reaction.

H318 Eye Dam. 1: Causes serious eye damage.

Precautionary statements:

**P280:** Wear protective gloves, protective clothing, eye protection, face protection.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER or doctor.

Contains:

Isotridecanol, ethoxylated

#### 2.3 Other hazards:

None

## 3 SECTION 3: Composition/information on ingredients:

Isotridecanol, ethoxylated	≤9%	CAS number: EINECS: REACH Registration number: CLP Classification:	69011-36-5  H302 Acute tox. 4 H318 Eye Dam. 1
p-mentha-1,4(8)-diene	≤ 0.5 %	CAS number: EINECS: REACH Registration number: CLP Classification:	586-62-9 209-578-0 01-2119982325-32 H226 Flam. Liq. 3 H304 Asp. Tox. 1 H411 Aquatic Chronic 2
subtilisin	≤ 0.3 %	CAS number: EINECS: REACH Registration number: CLP Classification:	9014-01-1 232-752-2 01-2119480434-38 H302 Acute tox. 4 H315 Skin Irrit. 2 H318 Eye Dam. 1 H334 Resp. Sens. 1 H335 STOT SE 3 H400 Aquatic Acute 1
amylase	≤ 0.1 %	CAS number: EINECS: REACH Registration number: CLP Classification:	9000-90-2 232-565-6 01-2119938627-26 <b>H334 Resp. Sens. 1</b>

2-bromo-2-nitropropane-1,3-diol	≤ 0.02 %	CAS number:	52-51-7
		EINECS:	200-143-0
		REACH Registration number:	
		CLP Classification:	H301 Acute tox. 3 H312 Acute tox. 4 H315 Skin Irrit. 2 H318 Eye Dam. 1 H331 Acute tox. 3 H335 STOT SE 3 H400 Aquatic Acute 1 H411 Aquatic Chronic 2

For the full text of the H phrases mentioned in this section, see section 16.

## 4 SECTION 4: First aid measures:

#### 4.1 Description of first aid measures:

Always ask medical advice as soon as possible should serious or continuous disturbances occur.

Skin contact: Remove contaminated clothing, rinse skin with plenty of water and immediately

transport to hospital.

Eye contact: Thoroughly rinse with water (contact lenses to be removed if this is easily done) then

take to physician.

**Ingestion:** Rinse mouth, do not induce vomiting, take to hospital immediately.

**Inhalation:** Let sit upright, fresh air, rest and take to hospital.

#### 4.2 Most important symptoms and effects, both acute and delayed:

Skin contact: Redness, pain

Eye contact: Caustic, redness, blurred vision, pain

**Ingestion:** Diarrhoea, headache, abdominal cramps, sleepiness, vomiting

Inhalation: None

## 4.3 Indication of any immediate medical attention and special treatment needed:

None

## 5 SECTION 5: Fire-fighting measures:

#### 5.1 Extinguishing media:

CO2, foam, powder, sprayed water

#### 5.2 Special hazards arising from the substance or mixture:

None

## 5.3 Advice for firefighters:

Extinguishing agents to be None

avoided:

#### 6 SECTION 6: Accidental release measures:

## 6.1 Personal precautions, protective equipment and emergency procedures:

Do not walk into or touch spilled substances and avoid inhalation of fumes, smoke, dusts and vapours by staying up wind. Remove any contaminated clothing and used contaminated protective equipment and dispose of it safely.

#### 6.2 Environmental precautions:

Do not allow to flow into sewers or open water.

#### 6.3 Methods and material for containment and cleaning up:

Contain released substance, store into suitable containers. If possible, remove by using absorbent material.

#### 6.4 Reference to other sections:

For further information, check sections 8 & 13.

## 7 SECTION 7: Handling and storage:

#### 7.1 Precautions for safe handling:

Handle with care to avoid spillage.

#### 7.2 Conditions for safe storage, including any incompatibilities:

Keep in a sealed container in a closed, frost-free, ventilated room.

#### 7.3 Specific end use(s):

Detergent - biological unblocker for pipes

## 8 SECTION 8: Exposure controls/personal protection:

#### 8.1 Control parameters:

Listing of the hazardous ingredients in section 3, of which the TLV value is known

## 8.2 Exposure controls:

Inhalation protection:	Use with sufficient exhaust ventilation. If necessary, use an air-purifying face mask in case of respiratory hazards. Use the ABEK type as protection against these troublesome levels.	
Skin protection:	Handling with nitril-gloves (EN 374). Breakthrough time: >480' Material thickness: 0,35 mm. Thoroughly check gloves before use. Take of the gloves properly without touching the outside with your bare hands. The manufacturer of the protective gloves has to be consulted about the suitability for a specific work station. Wash and dry your hands.	
Eye protection:	Keep an eye-rinse bottle within reach. Tight-fitting safety goggles. Wear a face shield and protective suit in case of exceptional processing problems.	
Other protection:	Wear impermeable clothing. The type of protective equipment depends on the concentration and amount of hazardous substances at the work station in question.	

## 9 SECTION 9: Physical and chemical properties:

## 9.1 Information on basic physical and chemical properties:

Melting point/melting range: 0 °C

Boiling point/Boiling range: 100 °C — 200 °C

pH: 7.0 pH 1% diluted in water: / Vapour pressure/20°C,:2 332 PaVapour density:Not applicableRelative density, 20°C:1.0050 kg/lAppearance/20°C:Liquid

Flash point:

Flammability (solid, gas): Not applicable

Auto-ignition temperature: /
Upper flammability or explosive /

limit, (Vol %):

Lower flammability or explosive

limit, (Vol %):

Explosive properties: Not applicable
Oxidising properties: Not applicable

Decomposition temperature: /

Solubility in water: Completely soluble

Partition coefficient: n- Not applicable

octanol/water:

Odour: characteristic
Odour threshold: Not applicable
Dynamic viscosity, 20°C: 1 mPa.s

Kinematic viscosity, 40°C: 1 mm²/s
Evaporation rate (n-BuAc = 1): 0.300

#### 9.2 Other information:

Volatile organic component (VOC): /

Volatile organic component (VOC): 5.025 g/l

Sustained combustion test:

## 10 SECTION 10: Stability and reactivity:

#### 10.1 Reactivity:

Stable under normal conditions.

## 10.2 Chemical stability:

Extremely high or low temperatures.

#### 10.3 Possibility of hazardous reactions:

None

## 10.4 Conditions to avoid:

Protect from sunlight and do not expose to temperatures exceeding + 50°C.

#### 10.5 Incompatible materials:

Acids, alkalines, oxidants, reductants

#### 10.6 Hazardous decomposition products:

Under recommended usage conditions, hazardous decomposition products are not expected.

## 11 SECTION 11: Toxicological information:

#### 11.1 Information on toxicological effects:

H318 Eye Dam. 1: Causes serious eye damage.

Calculated acute toxicity, ATE oral: /
Calculated acute toxicity, ATE /

dermal:

Isotridecanol, ethoxylated	LD50 oral, rat: LD50 dermal, rabbit: LC50, Inhalation, rat, 4h:	500 mg/kg ≥ 5 000 mg/kg ≥ 50 mg/l
p-mentha-1,4(8)-diene	LD50 oral, rat: LD50 dermal, rabbit: LC50, Inhalation, rat, 4h:	≥ 5 000 mg/kg ≥ 5 000 mg/kg ≥ 50 mg/l
subtilisin	LD50 oral, rat: LD50 dermal, rabbit: LC50, Inhalation, rat, 4h:	1 800 mg/kg ≥ 5 000 mg/kg ≥ 50 mg/l
amylase	LD50 oral, rat: LD50 dermal, rabbit: LC50, Inhalation, rat, 4h:	≥ 5 000 mg/kg ≥ 5 000 mg/kg ≥ 50 mg/l
2-bromo-2-nitropropane-1,3-diol	LD50 oral, rat: LD50 dermal, rabbit: LC50, Inhalation, rat, 4h:	100 mg/kg 1 100 mg/kg 3 mg/l

## 12 SECTION 12: Ecological information:

## 12.1 Toxicity:

p-mentha-1,4(8)-diene	LC50 (Fish): EC50 (Daphnia):	0.805 mg/L (96h) 0.634 mg/L (48h)
subtilisin	LC50 (Fish): EC50 (Daphnia): NOEC (Algae):	8,2 mg/l, 96h (Oncorhynchus mykiss) EC0 = 0,17 mg/l 0,041 mg (72h) (Pseudokirchneriella subcapitata)
amylase	LC50 (Fish): EC50 (Daphnia): EC50 (Algae):	>100 mg/l (96h) >100 mg/l (48h) >100 mg/l (72h)

### 12.2 Persistence and degradability:

The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

## 12.3 Bioaccumulative potential:

No additional data available

## 12.4 Mobility in soil:

Water hazard class, WGK (AwSV): 2

Solubility in water: Completely soluble

#### 12.5 Results of PBT and vPvB assessment:

No additional data available

#### 12.6 Other adverse effects:

No additional data available

## 13 SECTION 13: Disposal considerations:

#### 13.1 Waste treatment methods:

The product may be discharged in the indicated percentages of utillization, provided it is neutralised to pH 7. Possible restrictive regulations by local authority should always be adhered to.

## 14 SECTION 14: Transport information:

#### 14.1 UN number:

Not applicable

#### 14.2 UN proper shipping name:

ADR, IMDG, ICAO/IATA not applicable

#### 14.3 Transport hazard class(es):

Class(es): Not applicable Identification number of the Not applicable

hazard:

## 14.4 Packing group:

Not applicable

#### 14.5 Environmental hazards:

Not dangerous to the environment

## 14.6 Special precautions for user:

Hazard characteristics: Not applicable
Additional guidance: Not applicable

## 15 SECTION 15: Regulatory information:

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Water hazard class, WGK (AwSV): 2
Volatile organic component (VOC): /

Volatile organic component (VOC): 5.025 g/l

Composition by regulation (EC) Nonionic surfactants 5% - 15%, Enzymes < 5%, Preservatives (2-Bromo-2-

**648/2004:** Nitropropane-1,3-Diol)

## 15.2 Chemical Safety Assessment:

No data available

#### 16 SECTION 16: Other information:

#### Legend to abbreviations used in the safety data sheet:

ADR: The European Agreement concerning the International Carriage of Dangerous

Goods by Road

ATE: Acute Toxicity Estimate

BCF: Bioconcentration factor

CAS: Chemical Abstracts Service

CLP: Classification, Labelling and Packaging of chemicals

EINECS: European INventory of Existing commercial Chemical Substances

**LC50:** median Lethal Concentration for 50% of subjects

**LD50:** median Lethal Dose for 50% of subjects

Nr.: Number

PTB: Persistent, Toxic, Bioaccumulative

TLV: Threshold Limit Value
UFI: Unique Formula Identifier

vPvB: very Persistent and very Bioaccumulative substances

WGK: Water hazard class

WGK 1: Slightly hazardous for water

WGK 2: Hazardous for water

WGK 3: Extremely hazardous for water

#### Legend to the H Phrases used in the safety data sheet:

EUH208: Contains (amylase; subtilisin). May produce an allergic reaction. H226 Flam. Liq. 3: Flammable liquid and vapour. H301 Acute tox. 3: Toxic if swallowed. H302 Acute tox. 4: Harmful if swallowed. H304 Asp. Tox. 1: May be fatal if swallowed and enters airways. H312 Acute tox. 4: Harmful in contact with skin. H315 Skin Irrit. 2: Causes skin irritation. H318 Eye Dam. 1: Causes serious eye damage. H331 Acute tox. 3: Toxic if inhaled. H334 Resp. Sens. 1: May cause allergy or asthma symptoms or breathing difficulties if inhaled. H335 STOT SE 3: May cause respiratory irritation. H400 Aquatic Acute 1: Very toxic to aquatic life. H400 Aquatic Acute 1: Very toxic to aquatic life. H411 Aquatic Chronic 2: Toxic to aquatic life with long lasting effects.

## **CLP Calculation method:**

Calculation method

#### Reason of revision, changes of following items:

None

#### SDS reference number:

ECM-108294,00

This safety information sheet has been compiled in accordance with annex II/A of the regulation (EU) No 2015/830. Classification has been calculated in accordance with European regulation 1272/2008 with their respective amendments. It has been compiled with the utmost care. We cannot, however, accept responsibility for damage, of any kind, that may be caused by using these data or the product concerned. To use this preparation for an experiment or a new application, the user must carry out a material suitability and safety study himself.